

ORIGINALARBEITEN

1. E. Jakob, **R. Hoffmann**, V. Fuchs, J. Stüwe-Schlobies, M. Donike, J. Keul: Testosteronapplikation und Leistungsfähigkeit bei Skilangläufern. *Dtsch Z Sport Med* (1988) 39:41-45.
2. R. Meier, P. Bauerfeind, M. Thumshirn, **R. Hoffmann**, K. Gyr: Percutaneous endoscopic gastrostomy (PEG) for long-term nutrition: Comparison of two different caliber tubes. *Schweizer Rundschau für endoskopische Gastrokopie* (1992) 81:1254-1257.
3. **R. Hoffmann**, M. Grewe, H-C. Estler, A. Schulze-Specking, K. Decker: Detection of different TNF-a-mRNA synthesizing cells in the LPS-perfused rat liver by non-radioactive *in situ* hybridization. DL. Knook, E. Wisse (Edit.) Cells of the hepatic sinusoid, (Vol 4, 17-20, 1993), The Kupffer Cell Foundation, P.O. Box 430, 2300 AK, Leiden, Netherlands.
4. E. Roeb, L. Graeve, **R. Hoffmann**, K. Decker, D. Edwards, PC. Heinrich: Regulation of tissue inhibitor of metalloproteases-1 (TIMP-1) gene expression by cytokines and glucocorticoids in rat hepatocyte primary cultures. *Hepatology* (1993) 18:1437-1442.
5. H-P. Henninger, **R. Hoffmann**, M. Grewe, A. Schulze-Specking, K. Decker: Purification and quantitative analysis of nucleic acids by anion-exchange high-performance liquid chromatography. *Biol Chem Hoppe Seyler* (1993) 374:625-634.
6. TA. Tran-Thi, L. Weinhold, C. Weinstock, **R. Hoffmann**, A. Schulze-Specking, H. Northoff, K. Decker: Production of TNF-a, IL-1 und IL-6 in the perfused rat liver. *Eur Cytokine Netw* (1993) 4:363-370.
7. **R. Hoffmann**, HP. Henninger, A. Schulze-Specking, K. Decker: Regulation of IL-6-receptor mRNA in rat Kupffer cells. Differential modulation by cytokines, dexamethasone and prostaglandin E₂. *J Hepatol* (1994) 21:543-550.
8. K. Lang, K. Minaian, N. Freudenberg, **R. Hoffmann**, R. Brandsch: The tissue specificity of rat mitochondrial dimethylglycine dehydrogenase expression. *J Biochem* (1994) 299:393-398.
9. M. Grewe, R. Gausling, K. Gyufko, **R. Hoffmann**, K. Decker: Regulation of the mRNA expression for tumor necrosis factor-a in rat liver macrophages. *J Hepatology* (1994) 20:811-818.
10. **R. Hoffmann**, M. Grewe, H-C. Estler, A. Schulze-Specking, K. Decker: Regulation of TNF-a-mRNA synthesis and distribution of TNF-a-mRNA synthesizing cells in rat liver during experimental endotoxemia. *J Hepatology* (1994) 20:122-128.
11. F. Zhang, A. zur Hausen, **R. Hoffmann**, M. Grewe, K. Decker: Rat liver macrophages express 55kD-TNF-a receptor: Modulation by interferon-gamma, lipopolysaccharide and tumor necrosis factor-a. *Biol Chem Hoppe-Seyler* (1994) 375:249-254.
12. **R. Hoffmann**, E. Wenzel, A. Huth, P. Steen, M. Schäufele, HP. Henninger, R. Happle: Cytokine mRNA-levels in Alopecia areata before and after treatment with the contact allergen diphenylcyclopropenone. *J Invest Dermatol* (1994) 103:530-533.
13. P. Dieter, P. Ambs, E. Fritzke, H. Hidaka, **R. Hoffmann**, H. Schwende: Comparative studies of cytotoxicity and the release of TNF-a, nitric oxide, and eicosanoids of liver macrophages treated with lipopolysaccharide and liposome-encapsulated MTP-PE. *J Immunol* (1995) 155:2595-2604.
14. W. Eicheler, **R. Hoffmann**, R. Happle, G. Aumüller: Immunohistochemical evidence for differential distribution of 5α-reductase isoenzymes in human skin. *Br J Dermatol* (1995) 133:371-376.
15. R. Happle, **R. Hoffmann**: Cytokine patterns in alopecia areata before and after treatment with topical immunotherapy. *J Invest Dermatol* (1995) 104:14-15.
16. **R. Hoffmann**, R. Happle: Analysis of gene expression in isolated single hair follicles: an approach using semiquantitative RT-PCR. *J Invest Dermatol* (1995) 104:21.

17. **R. Hoffmann**, W. Eicheler, A. Huth, M. Schäufele, R. Happle: Interleukin-10 levels in serum from patient with alopecia areata undergoing topical immunotherapy. *Eur J Dermatol* (1995) 5:267-269.
18. **R. Hoffmann**, R. Happle: Does interleukin-1 induce hair loss in vivo? *Dermatology* (1995) 191:273-275.
19. **R. Hoffmann**. Significance of cytokine patterns in alopecia areata and allergic contact dermatitis. *J Invest Dermatol* (1995) 136:279-280.
20. **R. Hoffmann**, E. Wenzel, A. Huth, P. Steen, M. Schäufele, R. Happle: Growth factor mRNA-levels in alopecia areata before and after treatment with the contact allergen diphenylcyclopropenone. *Acta Dermatol Venereol* (1996) 76:17-20.
21. W. Eicheler, A. Huth, R. Happle, **R. Hoffmann**: Immunolocalization of steroid 5 α -reductase in human fetal skin. *Eur J Dermatol* (1996) 6:132-134.
22. **R. Hoffmann**, A. Huth, E. Wenzel, P. Steen, M. Schäufele, S. Raykowski, R. Happle: T-cell receptor V β chain variable gene use in alopecia areata totalis. *Eur J Dermatol* (1996) 6:65-69.
23. R. Happle, **R. Hoffmann**, G. Tadini: Phacomatosis pigmentokeratotica: a melanocytic epidermal twin nevus syndrome: A distinct entity? *Am J Med Gen* (1996) 65:363-365.
24. **R. Hoffmann**, W. Eicheler, A. Huth, E. Wenzel, R. Happle: Cytokines and growth factors influence hair growth in vitro. Possible implications for the pathogenesis and treatment of alopecia areata. *Arch Dermatol Res* (1996) 288:153-156.
25. C. Arand, E. Wenzel, R. Happle, **R. Hoffmann**. Expression of T-cell receptor V β chains in alopecia areata. *Proceedings of the First Tricontinental Meeting of Hair Research Societies*, van Neste, Randall (eds.), Elsevier Science, Amsterdam, (1996):221-227.
26. W. Eicheler, R. Happle, **R. Hoffmann**. RNA-Levels of 5 α -reductase and androgen receptor in human skin, hair follicles and follicle derived cells. *Proceedings of the First Tricontinental Meeting of Hair Research Societies*, van Neste and Randall (eds.), Elsevier Science, Amsterdam, (1996): 327-333.
27. **R. Hoffmann**, E. Wenzel, A. König, R. Happle. IL-1 and IL-1-RA expression in cultured dermal papilla cells is regulated by cytokines. *Proceedings of the First Tricontinental Meeting of Hair Research Societies*, van Neste and Randall (eds.), Elsevier Science, Amsterdam, (1996):457-463.
28. A. König, R. Happle, **R. Hoffmann**. Cytokines characteristic for alopecia areata regulate the expression of ICAM-1 and MHC Class I and II molecules on cultured dermal papilla cells. *Proceedings of the First Tricontinental Meeting of Hair Research Societies*, van Neste and Randall (eds.), Elsevier Science, (1996):243-249.
29. **R. Hoffmann**, H. Schwende, R. Happle. Distribution of protein kinase C isoenzymes in different cells of the human hair follicle. *Eur J Dermatol* (1996) 6:295-297.
30. **R. Hoffmann**, E. Wenzel, A. König, R. Happle: In vitro expression of members of the interleukin-1 family by dermal papilla cells and possible implications for the pathogenesis of alopecia areata. *Eur J Dermatol* (1997) 7:103-108.
31. **R. Hoffmann**, W. Eicheler, E. Wenzel, R. Happle: IL-1 β -induced inhibition of hair growth in vitro is mediated by cAMP. *J Invest Dermatol* (1997) 108:40-42.
32. A. König, R. Happle, **R. Hoffmann**: Expression and regulation of ICAM-1, MHC I and MHC class II molecules on dermal papilla cells. *Arch Derm Res* (1997) 289:466-470.
33. W. Eicheler, A. Huth, R. Happle, **R. Hoffmann**: Phorbol-myristate-acetate, but not interleukin-1 β or insulin-like growth factor, regulates protein kinase C isoenzymes in human dermal papilla cells. *Acta Dermato Venereol* (1997) 77:361-364.
34. W. Eicheler, R. Happle, **R. Hoffmann**: 5 α -reductase activity in human hair follicles concentrates in the dermal papilla. *Arch Derm Res* (1998) 290:126-132.

35. **R. Hoffmann**, R. Happle, R. Paus: Elements of the IL-1 signaling system show hair cycle-dependent gene expression in murine skin: *Eur J Dermatol* (1998) 8:475-477.
36. **R. Hoffmann**, R. Happle: Finasteride is the main inhibitor of 5 α -reductase activity in microdissected dermal papillae of human hair follicles. *Arch Derm Res* (1999) 291:100-103.
37. P. Freyschmidt-Paul, H. Hamm, R. Happle, **R. Hoffmann**: Pronounced perifollicular infiltrates are associated with poor treatment response to topical immunotherapy. *Eur J Dermatol* (1999) 9:111-114.
38. P. Freyschmidt-Paul, J.P. Sundberg, R. Happle, **R. Hoffmann**: Successful topical immunotherapy of alopecia areata-like hair loss in C3H/HeJ-mice. *J Invest Dermatol* (1999) 113:61-69.
39. R. Happle, **R. Hoffmann**: Absence of male pattern baldness in men with X-linked recessive ichthyosis? A hypothesis to be challenged. *Dermatology* (1999) 198:231-232.
40. P. Freyschmidt-Paul, **R. Hoffmann**, A. König, R. Happle: Linear porokeratosis superimposed on disseminated superficial actinic porokeratosis. Report of two cases exemplifying the concept of type 2 segmental manifestation of autosomal dominant skin disorders. *J Am Acad Dermatol* (1999) 41:644-647.
41. A. König, R. Happle, E. Tchitcherina, J.R. Schäfer, P. Sokolowski, W. Köhler, **R. Hoffmann**: An X-linked gene involved in androgenetic alopecia: A lesson to be learned from adrenoleukodystrophy. *Dermatology* (2000) 200:213-218.
42. S.H. Gardner, P. Freyschmidt-Paul, **R. Hoffmann**, J.P. Sundberg, R. Happle, N.J. Lindsey, D.J. Tobin: Normalisation of hair follicle morphology in C3H/HeJ alopecia areata mice after treatment with squaric acid dibutylester. *Eur J Dermatol* (2000) 10:443-450.
43. P. Freyschmidt-Paul, S. Seiter, M. Zöller, A. König, A. Ziegler, J.P. Sundberg, R. Happle, **R. Hoffmann**: Treatment with anti-CD44v10 antibodies inhibits the development of alopecia areata-like hair loss in C3H/HeJ-mice. *J Invest Dermatol* (2000) 115:653-657.
44. S Niiyama, K. Kojima, T. Hamada, R. Happle, **R. Hoffmann**: The novel drug CS-891 inhibits 5alpha-reductase activity in dermal papillae of human hair follicles. *Eur J Dermatol* (2000) 10:593-595.
45. H. Löffler, **R. Hoffmann**, R. Happle, I. Effendy: Murine auricular transepidermal water loss (MATEWL) – a novel approach for evaluating irritant skin reaction in mice. *Clin Exp Dermatol* (2001) 26:196-200.
46. S Niiyama, R Happle, **R. Hoffmann**: The feasibility of quantitative analysis of the androgen metabolism by the use of single dermal papillae from human hair follicles. *Exp Dermatol* (2001) 10:124-127.
47. **R. Hoffmann**: TrichoScan: Combining epiluminescence microscopy with digital image analysis for the measurement of hair growth *in vivo*. *Eur J Dermatol* (2001) 11:362-368.
48. P. Freyschmidt-Paul, **R. Hoffmann**, R. Happle: Trichotriomania. *Eur J Dermatol* (2001) 11:369-368.
49. S. Niiyama, R. Happle, **R. Hoffmann**: Influence of estrogens on the androgen metabolism in different subunits of human hair follicles. *Eur J Dermatol* (2001) 11:195-198.
50. P. Freyschmidt-Paul, J.P. Sundberg, R. Happle, S. Metz, KJ McElwee, **R. Hoffmann**: Treatment of alopecia areata in C3H/HeJ Mice with the topical immunosuppressant FK506 (Tacrolimus). *Eur J Dermatol* (2001) 11:405-409.
53. **R. Hoffmann**, S. Niiyama, A. Roth, A. Billich: Steroid sulfatase activity in the human hair follicle concentrates in the dermal papilla – possible involvement in local androgen metabolism and androgenetic alopecia *J Invest Dermatol* (2002) 117:1342-1348.

54. S.Hagner, R. V. Haberberger, D. Overkamp, **R. Hoffmann**, K.H.Voigt, G.P. McGregor: Expression and distribution of calcitonin receptor-like receptor in human hairy skin. *Peptides* (2002) Jan;23(1):109-116.
55. D. Piccolo, H.P. Soyer, R. Talamini, K. Peris, L. Bugatti, W. Burgdorf, V. Canzonieri, L. Cerroni, S. Chimenti, G. De Rosa, G. Filosa, **R. Hoffmann**, H. Kutzner, L. Manente, C. Misciali, H. Schaeppi, M. Tanaka, W. Tyler, I. Julis, B. Zelger, H. Kerl: Inter- and intraobserver agreement between conventional dermatopathologic diagnosis and telediagnosis of 20 cutaneous diseases. *Arch Dermatol* (2002) 138:53-58.
56. M. Zöller, K.J. McElwee, P. Engel, **R. Hoffmann**: Transient CD44 variant isoform expression and reduction in CD4+/CD25+ regulatory T cells in C3H/HeJ mice alopecia areata. *J Invest Dermatol* (2002) 118: 983-992.
57. DJ. Tobin, SH. Gardner, NJ. Lindsey, **R. Hoffmann**, R. Happle, P. Freyschmidt-Paul: Diphencyprone immunotherapy alters anti-hair follicle antibody status in patients with alopecia areata. *Eur J Dermatol* (2002) Jul-Aug;12(4):327-34.
58. **R. Hoffmann**, S. Niiyama, A. Huth, R. Happle: 17 α -Estradiol induces aromatase activity in intact human anagen hair follicles ex vivo. *Exp Dermatol* (2002) 11:376-380.
59. P. Freyschmidt-Paul, K.J. McElwee, R. Happle, S. Kissling, E. Wenzel, J.P. Sundberg, M. Zöller, **R. Hoffmann**: Interleukin-10 deficient mice are less susceptible to the induction of alopecia areata. *J Invest Dermatol* (2002) 119:980-983.
60. **R. Hoffmann**: TrichoScan: Ein neues Werkzeug für die digitale Haarzählung. *Hautarzt* (2002) 53(12):798-804.
61. K.J. McElwee, **R. Hoffmann**, P. Freyschmidt-Paul, E. Wenzel, S. Kissling, J.P. Sundberg, M. Zöller: Resistance to alopecia areata in C3H/HeJ mice is associated with increased expression of regulatory cytokines and a failure to recruit CD4 $^{+}$ and CD8 $^{+}$ cells *J Invest Dermatol* (2002) 119:1426-1433.
62. K.J. McElwee, S. Niiyama, P. Freyschmidt-Paul, E. Wenzel, S. Kissling, J.P. Sundberg, **R. Hoffmann**: Dietary soy oil content and soy derived phytoestrogen genistein increase resistance to alopecia areata onset in C3H/HeJ mice. *Exp Dermatol* (2003) 12:30-36.
63. P. Freyschmidt-Paul, K.J. McElwee, V. Botchkarev, J.P. Sundberg, R. Happle, **R. Hoffmann**: FAS-deficient C3.MRL-*Tnfrs6^{lpr}* Mice and FAS Ligand-deficient C3.MRL-*Tnfrs6^{gld}* mice are relatively resistant to the induction of alopecia areata by grafting AA-affected skin from C3H/HeJ-mice. *J Invest Dermatol* (2003) 8:104-109.
64. **R. Hoffmann**: TrichoScan: A new tool to measure hair growth *in vivo*. *J Invest Dermatol* (2003) 8:109-116..
65. **R. Hoffmann**: Aromatase and oxidative 3a-hydroxysteroid dehydrogenases are present in human hair follicles and regulate intrafollicular DHT levels. *Proceedings of the 9th Meeting of the European Hair Research Societies*, van Neste, R. Grimalt (eds.), Elsevier Science, Amsterdam, (2003) pp 93-104.
66. **R. Hoffmann**: TrichoScan: Results using 5% Minoxidil in Women with Androgenetic Alopecia. *Proceedings of the 9th Meeting of the European Hair Research Societies*, van Neste, R. Grimalt (eds.), Elsevier Science, Amsterdam, (2003) pp 331-342.
67. P. Freyschmidt-Paul, K. McElwee, R. Happle, S. Kissling, E. Wenzel, J. Sundberg, M. Zöller, **R. Hoffmann**: Treatment and induction studies in C3H/HEJ-mice indicate that IL-10 has no immunosuppressive effect on alopecia areata. *Proceedings of the 9th Meeting of the European Hair Research Societies*, van Neste, R. Grimalt (eds.), Elsevier Science, Amsterdam, (2003) pp 445-460.
68. K.J. McElwee, E. Wenzel, S. Kissling, A. Huth, **R. Hoffmann**: A new category of hair follicular progenitor cells: The cup-activation hypothesis. (2004, *in press*)
69. K.J. McElwee, E. Wenzel, A. Huth, S. Kissling, **R. Hoffmann**: cDNA gene

- microarray analysis of dermal papilla cells versus connective tissue sheath cells reveals multiple factors with potential for hair growth promotion and cycling control. (2004: submitted *J Invest Dermatol*).
70. K.J. McElwee, E. Wenzel, A. Huth, S. Kissling, **R. Hoffmann**: Macrophage-stimulatory protein (MSP) is a potent inducer of murine and human hair growth. (2004, *in press*).
 71. M. Zöller, K.J. McElwee, M. Vitacolonna, **R. Hoffmann**: Distorted balance of apoptosis in peripheral blood lymphocytes of alopecia areata patients. *J Invest Dermatol* (submitted 2004)

ÜBERSICHTSREFERATE (Reviews)

1. **R. Hoffmann**, R. Happle: The therapeutic role of contact sensitization in alopecia areata. What, how and why? *Am J Contact Dermatitis* (1995) 6:1-4, 1995.
2. P. Steen van der, **R. Hoffmann**, S. Raykowski, M. Schäufele, R. Happle: Alopecia areata: Klinik, Pathogenese und topische Immuntherapie. *Deutsches Ärzteblatt* (1995) 92:613-616.
3. P. Steen van der, **R. Hoffmann**, S. Raykowski, M. Schäufele, R. Happle: Alopecia areata: Klinik, Pathogenese und topische Immuntherapie. *Deutsche Apothekerzeitung* (1995) 135:17-22.
4. **R. Hoffmann**, R. Happle: Alopecia areata: Übersicht über Ätiologie, Pathogenese und Therapie. *Z Hautkr* (1996) 71:528-541.
5. **R. Hoffmann**, R. Happle: Topical immunotherapy in alopecia areata: What, how and why? *Dermatologic Clinics: Update on hair disorders*; (1996) 14:739-744.
6. **R. Hoffmann**, R. Happle: Alopecia areata I (Weiterbildungsartikel). *Hautarzt* (1999) 50:222-231.
7. **R. Hoffmann**, R. Happle: Alopecia areata II (Weiterbildungsartikel). *Hautarzt* (1999) 50:310-315.
8. **R. Hoffmann**, R. Happle: Die pathogenetische Bedeutung der 5α-Reduktase-Isoenzyme für die androgenetischen Alopezie. *Hautarzt* (1999) 50:165-173.
9. **R. Hoffmann**, R. Happle: Schlusswort zur Stellungnahme des Arbeitskreises Psychosomatische Dermatologie der DDG. *Hautarzt* (1999) 50:818-819.
10. **R. Hoffmann**: The potential role of cytokines and T cells in alopecia areata. *J Invest Dermatol* (1999) 4:235-238.
11. **R. Hoffmann**, R. Happle: Current understanding of androgenetic alopecia I. CME-article *Eur J Dermatol* (2000) 10:319-326.
12. **R. Hoffmann**, R. Happle: Current understanding of androgenetic alopecia II. CME-article *Eur J Dermatol* (2000) 10:410-417.
13. K.J. McElwee, **R. Hoffmann**: Growth factors in early hair follicle morphogenesis. *Eur J Dermatol* (2000) 10:341-350.
14. **R. Hoffmann**: Der androgenetische Haarausfall des Mannes. *Dermatologische Nachrichten* 2000
15. **R. Hoffmann**: Biologie des Haarfollikels – mögliche Ansatzpunkte der Lasertherapie *Kosmetische Medizin* (2000) 3:174-176.
16. K.J. McElwee, P. Freyschmidt-Paul, R. Happle, A. Ziegler, **R. Hoffmann**: Genetic susceptibility and severity of alopecia areata in humans and animal models. *Eur J Dermatol* (2001) 11:11-16.
17. P. Freyschmidt-Paul, **R. Hoffmann**, E. Levin, J.P. Sundberg, R. Happle, K.J. McElwee: Current and potential therapeutic agents for the treatment of alopecia areata. *Curr Pharm Design* (2001) 7:213-230.

18. **R. Hoffmann:** Enzymology of the hair follicle. *Eur J Dermatol* (2001) 11:296-300.
19. **R. Hoffmann:** Bedeutung der 5α-Reduktase-Isoenzyme bei der androgenetischen Aloperie. *Haut* (2001) 1:6-11.
20. **R. Hoffmann:** Messmethoden zur Objektivierung von Haarverlust. *Cosmetic medicine* (2001) 22:172-179.
21. **R. Hoffmann:** Current understanding of male androgenetic alopecia. *Clin Exp Dermatol* (2002) 27(5):377-86.
22. K. McElwee, **R. Hoffmann:** Alopecia areata using rodent models. *Clin Exp Dermatol* (2002) 27(5):414-21.
23. **R. Hoffmann:** Hormone interaction and hair growth. *Ann Dermatol Venereol* (2002) 129:787-792.
24. **R. Hoffmann:** Nutzen und Risiken von Trichopharmaka. *Ärztezeitung* (2002) 142:14-16.
25. **R. Hoffmann:** Androgenetische Aloperie beim Mann. *Zeitschrift für Haut und Geschlechtskrankheiten* (2002) 77:333-341.
26. K. McElwee, **R. Hoffmann:** Tiermodelle der Alopecia areata. *Zeitschrift für Haut und Geschlechtskrankheiten* (2002) 77:374-380.
27. **R. Hoffmann:** Androgenetische Aloperie: Anfragen aus der Praxis. *Haut* (2002), 13: 124-125.
28. **R. Hoffmann:** Steroidogenic isoenzymes in human hair and their potential role in androgenetic alopecia. *Dermatology* (2003) 206:85-95.
29. S. Niiyama, R. Happle, H. Löffler, **R. Hoffmann:** Multiple disseminated dermatofibromas: A review of the literature. *Acta Derm Venereol*. 2002;82(4):241-4.
30. K. McElwee, **R. Hoffmann:** Alopecia areata in rodent models. *Proceedings of the 9th Meeting of the European Hair Research Societies*, van Neste, R. Grimalt (eds.), Elsevier Science, Amsterdam, (2003) pp 433-444.
31. P. Freyschmidt-Paul, R. Happle, K. McElwee, **R. Hoffmann:** Alopecia areata: treatment today and tomorrow. *J Invest Dermatol* (2003) 8:12-18.
32. K. McElwee, **R. Hoffmann.** Pathogenesis of alopecia areata in rodent models. *J Invest Dermatol* (2003) 8:6-11.
33. P. Freyschmidt-Paul, R. Happle, **R. Hoffmann:** Alopecia areata: Klinik, Pathogenese und rationale Therapie einer T-Zell-vermittelten Autoimmunerkrankung. *Hautarzt* (2004, in press).
34. **R. Hoffmann:** Diagnostik und Therapie der androgenetischen Aloperie. *Hautarzt* (2003, in press)
35. P. Freyschmidt-Paul, R. Happle, **R. Hoffmann:** Tiermodelle der Alopecia areata: Neues zu Pathogenese und Therapie einer Autoimmunerkrankung des Haarfollikels. *JDDG* 2004 in press

BUCHBEITRÄGE

1. **R. Hoffmann:** Cytokines in Alopecia areata. In: *Hair and its disorders*. Camacho, Randall, Price (Eds) pp. 203-208, Martin Dunitz London, U.K.
2. **R. Hoffmann:** Histopathologie der Aloperien. In: *Histopathologie der Haut*: Kerl, Wolff, Soyer, Garbe (Hrsg.) Springer Verlag, Heidelberg.
3. **R. Hoffmann:** Steroidmetabolismus im Haarfollikel und androgenetische Aloperie. In: *Dermatologie an der Schwelle zum neuen Jahrtausend – aktueller Stand von Klinik und Forschung*. Plettenberg, Meigel, Moll (Hrsg.) pp. 449-451, Springer, Heidelberg.

4. **R. Hoffmann:** Das Phototrichogramm und andere neue Möglichkeiten der digitalen Haarzählung. In: *Fortschritte der praktischen Dermatologie und Venereologie 2000*. Plewig, Digits (Hrsg.) pp. 562-566, Springer Heidelberg.
5. **R. Hoffmann:** Klassische und neue Messmethoden bei Haarverlust. In: *Research Report, 41.DDG-Tagung in Berlin*. Happle (Hrsg) pp 32-41, ObersteBrink Verlag, Ratingen.
6. **R. Hoffmann:** Einfluß der Androgene auf das Haarwachstum. In: *Research Report, 41.DDG-Tagung in Berlin*. Happle (Hrsg) pp 60-63, ObersteBrink Verlag, Ratingen.
7. **R. Hoffmann:** Biologie des Haarfollikels – mögliche Ansatzpunkte der Lasertherapie In: *Fortschritte der Laserepilation 2001*. Kautz (Hrsg.), Springer Heidelberg.
8. **R. Hoffmann:** TrichoScan: Ein Werkzeug für die digitale Haardickenmessung. In: *Fortschritte der Laserepilation 2001*. Kautz (Hrsg.), Springer Heidelberg.
9. **R. Hoffmann:** Grundlagen der Haarbiologie und ihre klinischen Bezüge. In: *Fortschritte der praktischen Dermatologie und Venereologie*. Plewig, Prinz (Hrsg.) , Springer Heidelberg.

FALLBESCHREIBUNGEN (Case reports)

1. **R. Hoffmann**, M. Lohner, N. Böhm, J. Leititis, H. Helwig: Restrictive dermopathy: a lethal congenital skin disorder. *Eur J Pediatrics* (1993) 152:95-98.
2. **R. Hoffmann**, M. Lohner, N. Böhm, J. Leititis, H.E. Schaefer: Staphylogenic lyell syndrome with septicaemia in a preterm infant. *Path Res Pract* (1994) 190:77-81.
3. **R. Hoffmann**, R. Happle: Chronische Entzündungsreaktionen durch Kunsthaar-implantation. *Z Hautkr* (1995) 70:207-208.
4. A. König, **R. Hoffmann**, R. Happle: Strahlenschaden nach Anwendung einer Radiumkomresse zur Asthmabehandlung. *Z Hautkr* (1996) 72:362-364.
4. P. Freyschmidt-Paul, R. Happle, **R. Hoffmann**: Granulomatöse Pareiitis bei Morbus Crohn. *Z Hautkr* (1997) 72:42-44.
5. P. Freyschmidt-Paul, R. Happle, **R. Hoffmann**: CD30 (Ki-1)- positives T-Zell Lymphom der Haut. *Eur J Dermatol* (1997) 7:71-72.
6. **R. Hoffmann**, R. Happle: A large pedunculated tumour. Unusual presentation of a common tumor. *Eur J Dermatol* (1997) 7:141-142.
7. P. Freyschmidt-Paul, R. Happle, **R. Hoffmann**: Neonatal lupus erythematosus and maternal HELLP syndrome: is there a pathogenetic link? *Hautarzt*. (1998) 49:662-665.
8. König, **R. Hoffmann**, R. Happle: Dermabrasio bei Xeroderma pigmentosum. *Arch Dermatol* (1998) 134:241-242.
9. A. König, Wenneborth G, HP Soyer, **R. Hoffmann**, R. Happle, W. Krause: Vulvar amyloidosis mimicking giant condylomata acuminata in a patient with multiple myeloma. *Eur J Dermatol* (1999) 9:29-31.
10. S. Niyyama, R. Happle, P. Freyschmidt-Paul, **R. Hoffmann**: Hypotrichosis Marie-Unna. *Eur J Dermatol* (2001) 11:379-380.
11. S. Niyyama, S. Kölker, I. Degen, GF. Hoffmann, R. Happle, **R. Hoffmann**: Acrokeratosis acidaemica secondary to malnutrition in glutaric aciduria type I. *Eur J Dermatol* (2001) 11:244-246.
12. S. Poyanmehr, P. Freyschmidt-Paul, R. Happle, **R. Hoffmann**: Tricho-rhino-phalangeales Syndrom I.. *Eur J Dermatol* (2001) 11:385-387.
13. S. Poyanmehr, P. Freyschmidt-Paul, R. Happle, **R. Hoffmann**: Hypotrichosis simplex.. *Eur J Dermatol* (2001) 11: 383-384.
14. S. Wilke, **R. Hoffmann**, R. Happle, P. Freyschmidt-Paul: Netherton Syndrome. *Eur J Dermatol* (2001) 11: 381-382.

15. T. Küster, R. Happle, **R. Hoffmann**, P. Freyschmidt-Paul : Papulöse Atrichie.
Eur J Dermatol (2001) 11: 375-377.
16. A. Krisp, **R. Hoffmann**, R. Happle, A. König, P. Freyschmidt-Paul: Hermansky-Pudlak-Syndrome. *Eur J Dermatol (2001) 11:*372-374.
17. A. Krisp, A. König, **R. Hoffmann**, R. Happle: Chondrodysplasia punctata.
*Eur J Dermatol (2001) 11:*389-391.
18. S. Niiyama, R. Happle, H. Löffler, **R. Hoffmann**: Guess what! Multiple disseminated dermatofibromas in a woman with systemic lupus erythematosus.
*Eur J Dermatol (2001) 11(5):*475-6.